



Un vaste choix de matrices est disponible pour chaque machines à pates fraiche.

Nous pouvons personnaliser votre dessin ou logo préféré



gnocchi sardi

1354 B
7,5 mm.
R4



1354
12 mm.
R6



1356
19 mm.
R10



1358
23,50 mm.
R13



1360 A
31 mm.
R13



1360 B
30 mm.
R15



1360
29 mm.
R15



1362 B
19 mm.



1362
20 mm.



1362 C
32,5 mm.



1370
10 mm.



1371
12 mm.



1372 B
21 mm.



1373
30 mm.
S.T.



1374
18 mm.



1375
19,50 mm.



1376
23 mm.



1376 A
28 mm.



1377
29 mm.



1378 A
43 mm.



1379 A
20,50 mm.



1379 H
30,7 mm.



1381



1401
24,50 mm.
R8



1400
24,50 mm.



1804
23 mm.



1804 A



1804 C



radiator e rollini

gigli e funghi

1336
6,5 mm.



1337 B
10 mm.



1337
10 mm.



1338
10 mm.
R2



1339
11,5 mm.



1340
10 mm.



1341 B
11,5 mm.



1341
11,5 mm.



1342
11 mm
R25



gnocchi napoletani

1343
16,5 mm.



1344
18 mm.



1345
22 mm.



1346
26 mm.



1347
27,5 mm.



1348
29 mm.



1349
33 mm.



1350
33 mm.



1352
35 mm.
R11



1382
27,8 mm.



1382 G
26 mm.



banane



1365
13 mm. R21



1366
13 mm.



1367
17 mm.

1283
7 mm.



1287
14 mm.



1289
7 mm.



flacher

1284
9,5 mm.



1290
8 mm.



1292
18 mm.

1285
11 mm.



1288
22 mm.



1291
14 mm.

1286
13 mm.



1293
5,4 mm.



cintas

1294
6 mm.



1295
7,5 mm.



tagliatelle girate

1312
13 mm.



1313
20 mm.



1314
19 mm.
R 16



amori



1324
3,50 mm.
R6



1325
4,75 mm.
R8



1326
5,20 mm.
R8



1327
6,35 mm.
R8



1328
7,00 mm.
R10



1329
7,60 mm.
R10



1330
10,60 mm.
R12

elicoïdali

1315
6,90 mm. R10



1316
7,80 mm. R 10



1317
9,50 mm. R10



1318
10,50 mm. R10



1319
12,20 mm. R12



1320
13 mm. R12



1321
13,60 mm. R12



1322 A
17,10 mm. R15



1323
19 mm. R18



1331 A
4,7 mm.



1331
7 mm.



1332
8 mm.



1333
9,5 mm.



1334
7 mm.
R13



1335
10 mm.
R17



creste di gallo

1158 E
28 R36



1337 A



1313 D



1378
37,00



1158 H
29 R40



1158 D
24,25
R20



1549



Speciali

1183 H
31,15 mm.



1314 D
35 mm.



1314 B
35 mm.



1183 B
30 mm.



1548




1351



speciali e regionali





1612 B
6,7 mm.
R14

1612
7,80 mm.
R20

1614 P
8 mm.
R12

1614
8,7 mm.
R16

1616
9,5 mm.
R18

1616 B
9,55 mm.
R16

1617
11,50 mm.
R18

1619
10,80 mm.
R20

1619 F
10 mm.
R16

1620
9 mm.
R16

1620 V
13,7 mm.
R12

1622
16 mm.
R24



1623
17,50 mm.
R38

1625
6,50 mm.
R10+10

1630

1632 A
8,5 mm.

1635
11,5 mm.

1636
28 mm.

1636 A



penne rigate

formati personalizzati

